

VESTFROST
COOL EXPERTS

Cooling solutions for
the hotel, restaurant
and catering sector



Wine cabinets

Upright coolers and freezers

Chest coolers and freezers

Wine cabinets	4-7
Bottle coolers	8-11
Upright coolers and freezers	12
Party Cooler	13
Chest coolers and freezers	14-15

We know Horeca

Understandably hotels and restaurants set strict requirements on the storage and presentation of food. However wishes and requirements vary from business to business. At Vestfrost, we take pride in understanding what it takes to make your business successful. Only by doing so can we supply the best coolers and freezers – every time!

The Vestfrost range of commercial products includes upright and chest coolers and freezers as well as elegant wine cabinets. Our models have made us a respected supplier to the Horeca sector. We produce nothing but refrigerators and freezers. As a result, we are experts in our field.





Show off your wine cellar

The new series of Vestfrost wine cabinets provides optimal, yet exclusive, storage conditions for your wines

A good wine cellar is an important asset and highlights a restaurant's sense of quality. Undeniably, however, a cool dark cellar is difficult to show your guests. Vestfrost has made it possible to move your wine cellar into the restaurant in an elegant and attractive way, making the wine a decoration in its own right.

Our two completely new models – W 185 and W 155 – maintain the ideal conditions and provide your guests with a lasting impression of your wine selection and their respectful storage. Our new series of wine cabinets represents the elite in wine storage. For example, it is possible

to regulate the temperature so that several distinct temperature zones are created within the cabinet – e.g. 10°C at the bottom of the cabinet and 17°C at the top. Even if the ambient temperature falls as low as 5°C, a heating element ensures that the temperature setting is maintained. As wine breathes through the cork, it is important that the surrounding air is as clean as possible. Our wine cabinets are therefore equipped with a replaceable charcoal filter that keeps the air clean and provides a controlled minimum air circulation.

1 Operation is easy and simple – the keys ensure precise regulation of cabinet temperature. Temperature is controlled electronically within a range from 5°C to 22°C.

2 The height-adjustable wooden shelves ensure that the wine is not subjected to vibration during cabinet operation. The wine is therefore left to mature in peace.

3 A charcoal filter cleans the air so that impurities cannot enter through the cork and spoil the wine.

W 155		W 185	
Net capacity, litres (cu. ft)	295 (10.4)	Net capacity, litres (cu. ft)	395 (12.9)
Height, mm (inch)	1550 (61.0)	Height, mm (inch)	1850 (72.8)
Width, mm (inch)	595 (23.4)	Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)	Depth, mm (inch)	595 (23.4)
Temperature range °C	5 to 22	Temperature range °C	5 to 22
Temperature range °F	41 to 72	Temperature range °F	41 to 72
Noise level, dB(A)	36-39	Noise level, dB(A)	36-39
Rated Load, W	170	Rated load, W	170
No. bottles Bordeaux (0.75 ltr)	90	No. bottles Bordeaux (0.75 ltr)	113
No. bottles Bordeaux neck-to-neck (0.75 ltr)	149	No. Bottles Bordeaux neck-to-neck (0.75 ltr)	194



RECOMMENDED SERVING TEMPERATURE

18-19 °C	Heavy, full-bodied and mature red wines such as Rhônes, Bordeaux Grand Cru Classés, Barolos, Rioja Gran Reservas.	12-13 °C	Full-bodied white wines (Chardonnays, Burgundies), vintage champagnes and the best dessert wines (Sauternes, Eisweins).
16-17 °C	Young, promising red wines such as Burgundies, St. Emilions, Pomerols, Chiantis, Barbarescos.	10-11 °C	Heavy white and sparkling wines (Champagnes).
14-15 °C	Light, young red wines such as Beaujolais, ordinary Pinot Noirs.	8-9 °C	Light white and sparkling wines.



W 155

Height: 155 cm. W 155 wine cabinet with a net capacity of 295 litres. Room for 90 bottles. Contains five adjustable wooden shelves and an integrated shelf at the bottom of the cabinet. Suitable for long-term storage or bringing wine to serving temperature. The temperature can be set as required. A discreet cabinet with smoked-glass door that makes an elegant addition to any environment.



W 185

Height: 185 cm. W 185 wine cabinet with a net capacity of 365 litres. Room for 133 bottles. Contains six adjustable wooden shelves and an integrated shelf at the bottom of the cabinet. Suitable for long-term storage or bringing wine to serving temperature.



Quality cabinets for storing and displaying wine

Store and display your wine as it deserves



VKG 570

Height: 185 cm. VKG 570 has room for 106 bottles in two compartments, making it possible, for example, to separate red and white wines. Bottles are stored on wooden shelves behind smoked-glass doors, preventing the wine from being subjected to UV radiation from the surroundings. The refrigeration system and compressor are equipped with special dampers to protect the wines from damaging vibration and provide optimal storage conditions.



VKG 571

Height: 185 cm. VKG 571 has room for 106 bottles behind a single protective tinted door. VKG 571 provides the same quality and advantages as VKG 570 – the model is, for example, available with a replaceable charcoal filter which keeps the air inside the cabinet clean.



VKG 511

Height: 155 cm. VKG 511 has room for 86 bottles and is particularly suitable for small restaurants. VKG 511 is of the same exclusive quality and design as VKG 570 and VKG 571. All models are available with locks as an optional extra.

VKG 570	
Gross capacity, litres (cu. ft.)	377 (13.3)
Net capacity, litres (cu. ft.)	355 (12.5)
Height, mm (inch)	1850 (72.8)
Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	36
Temperature range °C	6 to 16
Temperature range °F	43 to 61
Rated Load, W	160
No. bottles Bordeaux (0.75 ltr)	106

VKG 571	
Gross capacity, litres (cu. ft.)	377 (13.3)
Net capacity, litres (cu. ft.)	355 (12.5)
Height, mm (inch)	1850 (72.8)
Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	36
Temperature range °C	6 to 16
Temperature range °F	43 to 61
Rated Load, W	160
No. bottles Bordeaux (0.75 ltr)	106

VKG 511	
Gross capacity, litres (cu. ft.)	324 (11.4)
Net capacity, litres (cu. ft.)	300 (10.6)
Height, mm (inch)	1550 (61.0)
Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	36
Temperature range °C	6 to 16
Temperature range °F	43 to 61
Rated Load, W	160
No. bottles Bordeaux (0.75 ltr)	86



CVKS 670

Height: 185 cm. CVKS 670 has room for 106 bottles in two compartments. It is the ideal cabinet for those who require optimum storage for their wines but do not wish to display the bottles to their guests. Wooden shelving and a vibration-damped refrigeration system and compressor ensure perfect storage conditions. The foam-insulated door maintains low energy consumption.



CVKS 671

Height: 185 cm. CVKS 671 has room for 106 bottles behind a single door and has the same high quality and low energy consumption as CVKS 670. Wooden shelving and a vibration-damped refrigeration system and compressor ensure perfect storage conditions. The foam-insulated door maintains low energy consumption.

CVKS 670	
Gross capacity, litres (cu. ft.)	358 (12.7)
Net capacity, litres (cu. ft.)	330 (11.7)
Height, mm (inch)	1860 (73.2)
Width, mm (inch)	600 (23.6)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	36
Temperature range °C	6 to 16
Temperature range °F	43 to 61
Rated Load, W	160
No. bottles Bordeaux (0.75 ltr)	106

CVKS 671	
Gross capacity, litres (cu. ft.)	361 (12.8)
Net capacity, litres (cu. ft.)	341 (12.0)
Height, mm (inch)	1860 (73.2)
Width, mm (inch)	600 (23.6)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	36
Temperature range °C	6 to 16
Temperature range °F	43 to 61
Rated Load, W	160
No. bottles Bordeaux (0.75 ltr)	106

- 1 The height-adjustable wooden shelves ensure that the wine is not subjected to vibration during cabinet operation. The wine is thus left to mature in peace.
- 2 With a temperature range of 6°C to 16°C, the cabinets are perfect for storing most types of wine. Shelf thermometers are available as extras.
- 3 The automatic light helps you select your wine.

The cooler of the future

Setting new standards for design, capacity, energy consumption, environmental friendliness and noise level. Interested?

M 200 is perfect for displaying food and beverages in shops, sandwich bars and service stations.



M 200

Height: 185 cm. M 200 is the largest cooler in the new Vestfrost series. Capacity has been increased, allowing improved exposure of the contents. The shelves are fully adjustable by 6 mm and can be adapted to suit all types of cans and bottles. The specially designed metal plate shelves also ensure that products stand stably without toppling. All in all, the cooler sets new standards – also when it comes to design, materials, environment friendliness and noise level.

M 200	
Gross capacity, litres (cu. ft.)	448 (15.8)
Net capacity, litres (cu. ft.)	379 (13.4)
Height, mm (inch)	2000 (78.7)
Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	55
Temperature range °C	1 to 10
Temperature range °F	34 to 50
Rated Load, W	570
0.330 litre cans	504
0.355 litre cans	462
0.50 litre bottles	252
20 oz. bottles	252



1 An integrated lock prevents unauthorised access to products.

2 The powerful cooling and ventilation system combined with an electronically controlled thermostat ensures correct temperatures, even under difficult conditions. The temperature is always visible on a digital display.

3 A large brand surface is optional. Customised solutions are available for even greater exposure.

4 The metal plate shelves ensure that bottles and cans stand more firmly and securely than on wire shelves. The adjustable shelving system enables optimum space utilisation, often allowing room for an extra shelf.

No nonsense – just sales



FKG 410

Height: 200 cm. FKG 410 is the largest and most popular cooler in the FKG series. Reliability, low energy consumption, low service costs, ideal exposure and competitive prices make the FKG series the winner when it comes to optimum space utilisation and display of cold food and beverages.



FKG 371

Height: 185 cm. FKG 371 is not only suitable for bottles. Items of food can also be hygienically and conveniently stored in this cooler with its strong, stable, adjustable shelves. The cooler is ideal for sandwich bars, kiosks and service stations amongst other places.



FKG 410

Gross capacity, litres (cu. ft.)	381 (13.5)
Net capacity, litres (cu. ft.)	351 (12.4)
Height, mm (inch)	2000 (78.7)
Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	55
Temperature range °C	3 to 10
Temperature range °F	37 to 50
Rated Load, W	350
0.330 litre cans	476
0.355 litre cans	434
0.50 litre bottles	231
20 oz. bottles	197

FKG 371

Gross capacity, litres (cu. ft.)	381 (13.5)
Net capacity, litres (cu. ft.)	351 (12.4)
Height, mm (inch)	1850 (72.8)
Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	55
Temperature range °C	3 to 10
Temperature range °F	37 to 50
Rated Load, W	300
0.330 litre cans	476
0.355 litre cans	434
0.50 litre bottles	231
20 oz. bottles	197



1



2



3

VESTFRÖST 11



FKG 370

Height: 185 cm. FKG 370 is identical to FKG 371, except that this model has two doors.



FKG 311

Height: 155 cm. A smaller model which is ideal for smaller businesses and/or smaller needs; in shops, cafés, sandwich bars, hotels and so on.



NFG 309 FREEZER

Height: 185 cm. NFG 309 is used to display frozen items of food. This frost-free freezer defrosts automatically at regular intervals, thus preventing stored items from being covered in frost or sticking to each other. A heated door ensures the glass is kept free of condensation.

FKG 370	
Gross capacity, litres (cu. ft.)	377 (13.3)
Net capacity, litres (cu. ft.)	347 (12.3)
Height, mm (inch)	1850 (72.8)
Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	55
Temperature range °C	3 to 10
Temperature range °F	37 to 50
Rated Load, W	300
0.330 litre cans	476
0.355 litre cans	434
0.50 litre bottles	231
20 oz. bottles	197

FKG 311	
Gross capacity, litres (cu. ft.)	306 (10.8)
Net capacity, litres (cu. ft.)	281 (9.9)
Height, mm (inch)	1550 (61.0)
Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	55
Temperature range °C	3 to 10
Temperature range °F	37 to 50
Rated Load, W	200
0.330 litre cans	378
0.355 litre cans	336
0.50 litre bottles	189
20 oz. bottles	160

NFG 309	
Gross capacity, litres (cu. ft.)	310 (11.0)
Net capacity, litres (cu. ft.)	282 (10.0)
Height, mm (inch)	1850 (72.8)
Width, mm (inch)	595 (23.4)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	55
Temperature range °C	-16 to -25
Temperature range °F	3 to -13
Rated Load, W	680

- 1 In NFG 309, a heated glass door prevents condensation from forming.
- 2 The lock (optional) prevents unauthorised access to products.
- 3 The built-in illuminated tophat on FKG 410 attracts maximum attention.

Perfect space utilisation



CFKS 471

Height: 185 cm. CFKS 471 is a robust and spacious refrigerator that takes up very little floor space thanks to its external width and depth of only 60 cm. It is therefore an ideal storage cabinet for shops, restaurants, chemists, institutions, etc. The appliance has automatic defrosting and strong, stable wire shelves. The door can be reversed. CFKS 471 can be positioned beside CFS 344 in a side-by-side arrangement or stand alone as an independent unit.



CFS 344 FREEZER

Height: 185 cm. CFS 344 is a robust freezer that, despite its outside width and depth of only 60 cm, offers a storage capacity as high as 344 litres. The freezer has super-freeze function, high-temperature alarm, good lighting and transparent drawers and flaps to maximise visibility. CFS 344 can be positioned beside CFKS 471 in a side-by-side arrangement. It can also stand alone as an independent unit.

CFKS 471

Gross capacity, litres (cu. ft.)	361 (12.8)
Net capacity, litres (cu. ft.)	333 (11.8)
Height, mm (inch)	1860 (73.2)
Width, mm (inch)	600 (23.6)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	55
Temperature range °C	3 to 10
Temperature range °F	37 to 50
Rated Load, W	300

CFS 344

Gross capacity, litres (cu. ft.)	344 (12.2)
Net capacity, litres (cu. ft.)	310 (11.0)
Height, mm (inch)	1860 (73.2)
Width, mm (inch)	600 (23.6)
Depth, mm (inch)	595 (23.4)
Noise level, dB(A)	39
Temperature range °C	-16 to -25
Temperature range °F	3 to -13
Rated Load, W	140

1 The temperature in the cabinet is shown on an external display, preventing unnecessary door opening.

A classic

CC 45

The Party Cooler has become a well-known, much sought after classic. It provides flexibility, is easily positioned and moved, and can be used for everything from the serving of cool white wine at dinner to the presentation of dairy products at the breakfast buffet. Available in silver, blue, bordeaux and black.

CC 45	
Gross capacity, litres (cu. ft.)	46 (1.6)
Net capacity, litres (cu. ft.)	45 (1.6)
Height with wheels, mm (inch)	825 (32.5)
Diameter, mm (inch)	454 (17.9)
Temperature range °C	2 to 8
Temperature range °F	36 to 46
Rated Load, W	100
0.330 litre cans	44
0.50 litre bottles	32





1



2



3

Chest coolers and freezers for any needs

HF 506 FREEZER

HF 506 is the largest chest freezer from Vestfrost. With its capacity of 464 litres, it offers solid, no-nonsense quality that just lasts and lasts. Perfect for storing many frozen items. The series contains models in many different sizes, all of which are available with counterbalanced glass lid. These storage freezers have a very wide field of applications within all food segments. They are especially suitable for back-room storage of ice cream and all kinds of frozen food.



VT 407 FREEZER

VT 407 is a super freezer capable of freezing to temperatures as low as -53°C. In comparison with conventional freezing, Vestfrost's low-temperature technology ensures longer shelf-life and better taste for the food items stored. This applies in particular to fish, but the taste of meat is also improved by freezing to very low temperatures. Three different models are available, with capacities ranging from 133 to 368 litres. The heavy-duty 80 mm insulation material ensures low operating costs.

	HF 301	HF 396	HF 506
Gross capacity, litres (cu. ft.)	290 (10.2)	373 (13.2)	476 (16.8)
Net capacity, litres (cu. ft.)	282 (10.0)	362 (12.8)	464 (16.4)
Height, mm (inch)	850 (33.5)	850 (33.5)	850 (33.5)
Height with wheels, mm (inch)	-	-	-
Width, mm (inch)	1020 (40.2)	1260 (49.6)	1560 (61.4)
Depth, mm (inch)	600 (23.6)	600 (23.6)	600 (23.6)
Noise level, dB(A)	38	39	39
Temperature range °C	-17 to -24	-17 to -24	-17 to -24
Temperature range °F	1 to -11	1 to -11	1 to -11
Rated Load, W	130	145	190

	VT 147	VT 307	VT 407
Gross capacity, litres (cu. ft.)	140 (4.9)	296 (10.5)	383 (13.5)
Net capacity, litres (cu. ft.)	133 (4.7)	284 (10.0)	368 (13.0)
Height, mm (inch)	850 (33.5)	850 (33.5)	850 (33.5)
Height with wheels, mm (inch)	885 (34.8)	885 (34.8)	885 (34.8)
Width, mm (inch)	720 (28.3)	1260 (49.6)	1560 (61.4)
Depth, mm (inch)	600 (23.6)	600 (23.6)	600 (23.6)
Noise level, dB(A)	-	-	-
Temperature range °C	-30 to -50	-30 to -50	-30 to -50
Temperature range °F	-22 to -58	-22 to -58	-22 to -58
Rated Load, W	360	360	360

- 1 The secure and robust lock offers peace of mind at all times.
- 2 A lamp on the inside of the lid provides good visibility of stored items.
- 3 The external digital thermometer provides a visual check on the cabinet temperature.

IKG 405 FREEZER

This Vestfrost display and storage cabinet with sliding glass lid is ideal for ice-cream or any other kind of frozen goods. The cabinet is designed to withstand being opened many times each day while still maintaining the correct temperature for the storage of frozen items of food.



FKG 404

FKG 404 bottle cooler with sliding glass lid is ideal for selling cold beverages in shops, on the street or at events.

	FKG 274	FKG 404		IKG 275	IKG 405	IKG 505
Gross capacity, litres (cu. ft.)	265 (9.4)	386 (13.6)	Gross capacity, litres (cu. ft.)	265 (9.4)	386 (13.6)	492 (17.4)
Net capacity, litres (cu. ft)	210 (7.4)	307 (10.8)	Net capacity, litres (cu. ft)	210 (7.4)	307 (10.8)	394 (13.9)
Height, mm (inch)	-	-	Height, mm (inch)	-	-	-
Height with wheels, mm (inch)	905 (35.6)	905 (35.6)	Height with wheels, mm (inch)	905 (35.6)	905 (35.6)	905 (35.6)
Width, mm (inch)	920 (36.2)	1260 (49.6)	Width, mm (inch)	920 (36.2)	1260 (49.6)	1560 (61.4)
Depth, mm (inch)	600 (23.6)	600 (23.6)	Depth, mm (inch)	600 (23.6)	600 (23.6)	600 (23.6)
Noise level, dB(A)	-	-	Noise level, dB(A)	-	-	-
Temperature range °C	4 to 12	4 to 12	Temperature range °C	-17 to -24	-17 to -24	-17 to -24
Temperature range °F	39 to 54	39 to 54	Temperature range °F	1 to -11	1 to -11	1 to -11
Rated Load, W	170	260	Rated Load, W	260	300	320



COOL EXPERTS

At Vestfrost we concentrate on what we are best at: refrigerating and freezing. We do nothing else. Only by maintaining this dedicated focus can we live up to our objective of being the world's best. So we have no problem in regarding ourselves as Cool Experts. The Vestfrost workforce comprises 1,100 Cool Experts who work passionately every day to develop optimum fridge/freezer solutions so you can always be sure that Vestfrost products are well-designed right down to the smallest detail.

Vestfrost is Denmark's leading manufacturer of fridge/freezers and is one of the World's biggest chest freezer manufacturers. We are ISO 9001, ISO 14001 and OHSAS 18001 certified which, among other things, means that we are obligated to manufacture refrigeration and freezer products in the best energy class – an obligation we take for granted. Since the company was founded in 1963, our dedicated factories for chest freezers and refrigerators in Esbjerg have produced more than 12 million fridge/freezer solutions for the enjoyment and satisfaction of customers worldwide.

A/S Vestfrost
Spangsbjerg Møllevvej 100
DK-6705 Esbjerg Ø
Denmark

Tel. +45 79 14 22 22
Fax +45 79 14 23 55
www.vestfrost.com
info@vestfrost.com

Subject to changes resulting from product development.

VESTFROST
COOL EXPERTS